

# Scheduling Criteria for comparing the CPU scheduling algorithms

- **CPU utilization** – keep the CPU as busy as possible
- **Throughput** – # of processes that complete their execution per time unit
- **Turnaround time** – amount of time to execute a particular process
- **Waiting time** – amount of time a process has been waiting in the ready queue
- **Response time** – amount of time it takes from when a request was submitted until the first response is produced, not output (for time-sharing environment)

# Scheduling Algorithm Optimization Criteria

- Max CPU utilization
- Max throughput
- Min turnaround time
- Min waiting time
- Min response time

# CPU scheduling algorithms

- First in First out(FIFO)
- Shortest Job First (SJF)
- Shortest Remaining Time First
- Priority Scheduling
- Round Robin (RR)

# First- Come, First-Served (FCFS) Scheduling

<u>Process</u>	<u>Burst Time</u>
$P_1$	24
$P_2$	3
$P_3$	3

- Suppose that the processes arrive in the order:  $P_1, P_2, P_3$   
The Gantt Chart for the schedule is:



- Waiting time for  $P_1 = 0$ ;  $P_2 = 24$ ;  $P_3 = 27$
- Average waiting time:  $(0 + 24 + 27)/3 = 17$

# FCFS Scheduling (Cont.)

Suppose that the processes arrive in the order:

$$P_2, P_3, P_1$$

- The Gantt chart for the schedule is:




- Waiting time for  $P_1 = 6$ ;  $P_2 = 0$ ;  $P_3 = 3$
- Average waiting time:  $(6 + 0 + 3)/3 = 3$
- Much better than previous case
- **Convoy effect** - short process behind long process
  - Consider one CPU-bound and many I/O-bound processes

# Example of SJF

<u>Process</u>	<u>Burst Time</u>
$P_1$	6
$P_2$	8
$P_3$	7
$P_4$	3

- SJF scheduling chart



- Average waiting time =  $(3 + 16 + 9 + 0) / 4 = 7$


Preemptive Scheduling	Non-preemptive Scheduling
A processor can be preempted to execute the different processes in the middle of any current process execution.	Once the processor starts its execution, it must finish it before executing the other. It can't be paused in the middle.
CPU utilization is more efficient compared to Non-Preemptive Scheduling.	CPU utilization is less efficient compared to preemptive Scheduling.
Waiting and response time of preemptive Scheduling is less.	Waiting and response time of the non-preemptive Scheduling method is higher.
Preemptive Scheduling is prioritized. The highest priority process is a process that is currently utilized.	When any process enters the state of running, the state of that process is never deleted from the scheduler until it finishes its job.
Preemptive Scheduling is flexible.	Non-preemptive Scheduling is rigid.
Examples: - Shortest Remaining Time First, Round Robin, etc.	Examples: First Come First Serve, Shortest Job First, Priority Scheduling, etc.
Preemptive Scheduling algorithm can be pre-empted that is the process can be Scheduled	In non-preemptive scheduling process cannot be Scheduled
In this process, the CPU is allocated to the processes for a specific time period.	In this process, CPU is allocated to the process until it terminates or switches to the waiting state.
Preemptive algorithm has the overhead of switching the process from the ready state to the running state and vice-versa.	Non-preemptive Scheduling has no such overhead of switching the process from running into the ready state.

# Example of Shortest-remaining-time-first

- Now we add the concepts of varying arrival times and preemption to the analysis

<u>Process</u>	<u>Arrival Time</u>	<u>Burst Time</u>
$P_1$	0	8
$P_2$	1	4
$P_3$	2	9
$P_4$	3	5

- Preemptive SJF Gantt Chart*



- Average waiting time =  $[(10-1)+(1-1)+(17-2)+5-3)]/4 = 26/4 = 6.5$  msec




# Priority Scheduling

- A priority number (integer) is associated with each process
- The CPU is allocated to the process with the highest priority (smallest integer  $\equiv$  highest priority)
  - Preemptive
  - Nonpreemptive
- SJF is priority scheduling where priority is the inverse of predicted next CPU burst time
- Problem  $\equiv$  **Starvation** – low priority processes may never execute
- Solution  $\equiv$  **Aging** – as time progresses increase the priority of the process

# Example of Priority Scheduling

<u>Process</u>	<u>Burst Time</u>	<u>Priority</u>
$P_1$	10	3
$P_2$	1	1
$P_3$	2	4
$P_4$	1	5
$P_5$	5	2

- Priority scheduling Gantt Chart



- Average waiting time = 8.2 msec


# Round Robin (RR)

- Each process gets a small unit of CPU time (**time quantum  $q$** ), usually 10-100 milliseconds. After this time has elapsed, the process is preempted and added to the end of the ready queue.
- If there are  $n$  processes in the ready queue and the time quantum is  $q$ , then each process gets  $1/n$  of the CPU time in chunks of at most  $q$  time units at once. No process waits more than  $(n-1)q$  time units.
- Timer interrupts every quantum to schedule next process
- Performance
  - $q$  large  $\Rightarrow$  FIFO
  - $q$  small  $\Rightarrow q$  must be large with respect to context switch, otherwise overhead is too high

# Example of RR with Time Quantum = 4

<u>Process</u>	<u>Burst Time</u>
$P_1$	24
$P_2$	3
$P_3$	3

- The Gantt chart is:




- Typically, higher average turnaround than SJF, but better **response**
- $q$  should be large compared to context switch time
- $q$  usually 10ms to 100ms, context switch < 10 usec

# Example of RR with Time Quantum = 2

<u>Process</u>	<u>Burst Time</u>
$P_1$	24
$P_2$	3
$P_3$	3

- The Gantt chart is:
- Typically, higher average turnaround than SJF, but better *response*
- q should be large compared to context switch time
- q usually 10ms to 100ms, context switch < 10 usec

# Time Quantum and Context Switch




# Multilevel Queue Scheduling

- Ready queue is partitioned into separate queues, eg:
  - **foreground** (interactive)
  - **background** (batch)
- Process permanently in a given queue
- Each queue has its own scheduling algorithm:
  - foreground – RR
  - background – FCFS
- Scheduling must be done between the queues:
  - Fixed priority scheduling; (i.e., serve all from foreground then from background). Possibility of starvation.
  - Time slice – each queue gets a certain amount of CPU time which it can schedule amongst its processes; i.e., 80% to foreground in RR
  - 20% to background in FCFS

# Multilevel Queue Scheduling

highest priority



lowest priority



# Multilevel Feedback Queue

- A process can move between the various queues; aging can be implemented this way
- Multilevel-feedback-queue scheduler defined by the following parameters:
  - number of queues
  - scheduling algorithms for each queue
  - method used to determine when to upgrade a process
  - method used to determine when to demote a process
  - method used to determine which queue a process will enter when that process needs service


# Example of Multilevel Feedback Qu

- Three queues:

- $Q_0$  – RR with time quantum 8 milliseconds
- $Q_1$  – RR time quantum 16 milliseconds
- $Q_2$  – FCFS

- Scheduling

- A new job enters queue  $Q_0$  which is served FCFS
  - When it gains CPU, job receives 8 milliseconds
  - If it does not finish in 8 milliseconds, job is moved to queue  $Q_1$
- At  $Q_1$  job is again served FCFS and receives 16 additional milliseconds
  - If it still does not complete, it is preempted and moved to queue  $Q_2$



- **Preemptive Scheduling:**

Preemptive scheduling is used when a process switches from running state to ready state or from waiting state to ready state. The resources (mainly CPU cycles) are allocated to the process for the limited amount of time and then is taken away, and the process is again placed back in the ready queue if that process still has CPU burst time remaining. That process stays in ready queue till it gets next chance to execute.

- Algorithms based on preemptive scheduling are: etc

• JOB	BURST TIME	ARRIVAL TIME	PRIORITY
• A	10	0	3
• B	2	1	1
• C	4	2	3
• D	6	4	4
• E	5	4	2

FCFS, PREEMPTIVE SJF, PRIORITY SCHEDULING, RR  
 FIND THE AVERAGE WAITING TIME FOR ABOVE  
 PROCESS