

# Variables in C

A **variable** is a name of the memory location. It is used to store data. Its value can be changed, and it can be reused many times.

It is a way to represent memory location through symbol so that it can be easily identified.

Let's see the syntax to declare a variable:

1. type variable\_list;

The example of declaring the variable is given below:

1. **int** a;
2. **float** b;
3. **char** c;

Here, a, b, c are variables. The int, float, char are the data types.

We can also provide values while declaring the variables as given below:

1. **int** a=10,b=20;//declaring 2 variable of integer type
2. **float** f=20.8;
3. **char** c='A';

## Rules for defining variables

- A variable can have alphabets, digits, and underscore.
- A variable name can start with the alphabet, and underscore only. It can't start with a digit.
- No whitespace is allowed within the variable name.
- A variable name must not be any reserved word or keyword, e.g. int, float, etc.

### Valid variable names:

1. **int** a;
2. **int** \_ab;

3. `int a30;`

#### Invalid variable names:

1. `int 2;`

2. `int a b;`

3. `int long;`

## Types of Variables in C

There are many types of variables in c:

1. local variable
2. global variable
3. static variable
4. automatic variable
5. external variable

### Local Variable

A variable that is declared inside the function or block is called a local variable.

It must be declared at the start of the block.

1. `void function1(){`
2. `int x=10;//local variable`
3. `}`

You must have to initialize the local variable before it is used.

### Global Variable

A variable that is declared outside the function or block is called a global variable. Any function can change the value of the global variable. It is available to all the functions.


It must be declared at the start of the block.

1. `int value=20;//global variable`

2. **void** function1(){
3. **int** x=10;//local variable
4. }

## Data Types in C

A data type specifies the type of data that a variable can store such as integer, floating, character, etc.



There are the following data types in C language.

Types	Data Types
Basic Data Type	int, char, float, double
Derived Data Type	array, pointer, structure, union
Enumeration Data Type	enum
Void Data Type	void

## Basic Data Types

The basic data types are integer-based and floating-point based. C language supports both signed and unsigned literals.

The memory size of the basic data types may change according to 32 or 64-bit operating system.

Let's see the basic data types. Its size is given **according to 32-bit architecture**.

<b>Data Types</b>	<b>Memory Size</b>	<b>Range</b>
<b>char</b>	1 byte	-128 to 127
signed char	1 byte	-128 to 127
unsigned char	1 byte	0 to 255
<b>short</b>	2 byte	-32,768 to 32,767
signed short	2 byte	-32,768 to 32,767
unsigned short	2 byte	0 to 65,535
<b>int</b>	2 byte	-32,768 to 32,767
signed int	2 byte	-32,768 to 32,767
unsigned int	2 byte	0 to 65,535
<b>short int</b>	2 byte	-32,768 to 32,767
signed short int	2 byte	-32,768 to 32,767
unsigned short int	2 byte	0 to 65,535
<b>long int</b>	4 byte	-2,147,483,648 to 2,147,483,647

signed long int	4 byte	-2,147,483,648 to 2,147,483,647
unsigned long int	4 byte	0 to 4,294,967,295
<b>float</b>	4 byte	
<b>double</b>	8 byte	
<b>long double</b>	10 byte	